

ANNEX C22: SPECIFIC MITIGATION MEASURES FOR ARCHAEOLOGICAL SETTINGS LOCATED WITHIN THE PROJECT ZONE OF EFFECT

Site No.	Site Name	Location	Significance/Potential Threat	Recommended Actions
Segment (A): Jurf Al Drawish – Disi				
A-1	Quweirat Ghazi	Ma'an- Disi, JADIS # 2288001	Low Significance, not threatened by the project-related activities	To implement the CRM procedures with strong coordination with Department of Antiquities
A-2	Umm Hawish	Ma'an- Disi, JADIS # 2288002		
A-3	Biyar Bein Murra	Ma'an- Disi, JADIS # 3644001		
A-4	El- Mutrab	Ma'an- Disi JADIS # 2295001		
A-5	El- Hammam	Ma'an- Disi, JADIS # 2295002		
A-6	KH. Eddjaniya	Ma'an- Disi, JADIS # 2299003		
A-7	No name site	Ma'an- Disi, JADIS # 3696002		
A-8	No name site	Ma'an- Disi, JADIS # 3798007		
A-9	No name site	Ma'an- Disi, JADIS # 3896007		
A-10	Hk- Kilwa	Ma'an- Disi, JADIS # 399002		
A-11	Mahattat Ma'an	Ma'an- Disi, JADIS # 2295004		
A-12	Mathattat Abu El-Jurdhan	Ma'an- Disi, JADIS # 2297001		

ANNEX C22: SPECIFIC MITIGATION MEASURES FOR ARCHAEOLOGICAL SETTINGS LOCATED WITHIN THE PROJECT ZONE OF EFFECT (CONTD.)

Site No.	Site Name	Location	Significance/Potential Threat	Recommended Actions
Segment (A): Jurf Al Drawish – Disi				
A-13	Mahattat Uneiza	Ma'an- Disi, JADIS # 2298001		
A-14	Mahattat Batn E-Ghul	Ma'an- Disi, JADIS # 2389001	Low Significance, not threatened by the project-related activities	To implement the CRM procedures with strong coordination with DAJ
A-15	Mahattat Fassu'a	Ma'an- Disi, JADIS # 2390002		
A-16	Mahattat Hattiya	Ma'an- Disi, JADIS # 2390003		
A-17	Mahattat Abu-Tarafa	Ma'an- Disi, JADIS # 2393001		
A-18	Muhattat Musawal	Ma'an- Disi, JADIS # 2394001		
A-19	Mahattat El-Mudawwara	Ma'an- Disi, JADIS # 2485001		
A-20	Mahattat Tulul Esh-Shahm	Ma'an- Disi, JADIS # 2487002		
A-21	Mahattat Rrmal	Ma'an- Disi, JADIS # 2488002		
A-22	Mahattat Esh-Shidiya	Ma'an- Disi, JADIS # 2492002		
A-23	Isfir Mahatta	Ma'an- Disi, JADIS # 2295003		
A-24	Ma'an	Ma'an- Disi, JADIS # 2295005		

ANNEX C22: SPECIFIC MITIGATION MEASURES FOR ARCHAEOLOGICAL SETTINGS LOCATED WITHIN THE PROJECT ZONE OF EFFECT (CONTD.)

Site No.	Site Name	Location	Significance/Potential Threat	Recommended Actions
Segment (A): Jurf Al Drawish – Disi				
A-25	El-Mudawwara	Ma'an- Disi, JADIS # 2485002		
A-26	El- Jafer	Ma'an- Disi, JADIS # 2696002		
Segment (B): Al- Qatraneh – Jurf Al - Drawish				
B -1	Al Qatraneh Castel	Al Qatraneh Village	Low significance threat	To shift the construction activity away from the site, a distance of 50 meters could be enough as a protective distance for the site.
				To implement the CRM procedures
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project
Segment (C): Reservoir; Abu Alanda - Air port - Al Jiza				
C-1	The Press	Abu Alanda Town	Low significance threat	To shift the construction activity away from the site, a distance of 50 meters could be enough as a protective distance for the site.
				To implement the CRM procedures
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project

ANNEX C22: SPECIFIC MITIGATION MEASURES FOR ARCHAEOLOGICAL SETTINGS LOCATED WITHIN THE PROJECT ZONE OF EFFECT (CONTD.)

Site No.	Site Name	Location	Significance/Potential Threat	Recommended Actions
Segment (C): Reservoir; Abu Alanda - Air port - Al Jiza				
C-2	Area of cave of Seven Sleepers	Abu - Alanda	High significance; the proximity of the construction activities near the cave may will Lear negative impact on the archaeological plaster and other remains inside the care itself.	The pipe route was modified by the Consultant to avoid this area, where it was directed outside the fenced area (the reserve area) to avoid any overlap with the Ministry of Tourism, Department of Antiquity, Ministry of Awqaf and Islamic Affairs.
				To conduct site rescue excavation
				To conduct site restoration
				To implement signage system to the site
				To implement the CRM procedures
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project
C-3	Cave of the Seven Sleepers	Abu - Alanda	High Significant and Direct Threat	The pipe route was modified by the Consultant to avoid this area, where it was directed outside the fenced area (the reserve area) to avoid any overlap with the Ministry of Tourism, Department of Antiquity, Ministry of Awqaf and Islamic Affairs.
				To conduct site rescue excavation
				To conduct site restoration
				To implement signage system to the site
				To implement the CRM procedures
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project

ANNEX C22: SPECIFIC MITIGATION MEASURES FOR ARCHAEOLOGICAL SETTINGS LOCATED WITHIN THE PROJECT ZONE OF EFFECT (CONTD.)

Site No.	Site Name	Location	Significance/Potential Threat	Recommended Actions
Segment (C): Reservoir; Abu Alanda - Air port - Al Jiza				
C-4	Al - Juwajda Mausoleum	Al- Juwajda plains	Low Significance	To avoid excavations or constructions near the site, scattered well cut-ashlars (if found) should be returned to the site so as to facilitate the restoration activities in the near-future.
				To coordinate with the department of antiquities during the project construction and operation phases for the CRM procedures Implementation
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project
C-5	The Mausoleum	Khirbet Es-Suq	Medium Significance and Direct Threat	To avoid the construction of the pipeline within the road side close to the mausoleum, or at least to construct the pipeline with a minimum distance of 25 meters away from the mausoleums to avoid destruction to this sensitive feature.
				To conduct site rescue excavation
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project
				To fence/improve the existing fencing of the site
				To implement signage system to the site
				To implement the CRM procedures
To coordinate with the department of antiquities during the project construction and operation phases for the CRM procedures Implementation				

ANNEX C22: SPECIFIC MITIGATION MEASURES FOR ARCHAEOLOGICAL SETTINGS LOCATED WITHIN THE PROJECT ZONE OF EFFECT (CONTD.)

Site No.	Site Name	Location	Significance/Potential Threat	Recommended Actions
Segment (C): Reservoir; Abu Alanda - Air port - Al Jiza				
C-6	Al- Qastal	Al- Qastal	Low Significance	To conduct site rescue excavation
				To implement the CRM procedures
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project
C-7	Al Jiza Pool	Al Jiza	Low Significance	To shift the construction activity away from the site, a distance of 50 meters could be enough as a protective distance for the site.
				To implement the CRM procedures
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project
C-8	The Byzantine Church	Al Jiza village / under modern houses	Low Significance	To shift the construction activity away from the site, a distance of 50 meters could be enough as a protective distance for the site.
				To implement the CRM procedures
				To coordinate with the Department of Antiquity during the project construction and operational phases for implementation of CRM procedures approved for the project